CATALOG

# EQUIPMENT

BR2/GA2

version 2.0







# INDEX

(	GUARD POST / POST / COIN. CARD COLLECTOR POST
-	PLATFORMS
(	CONTROL PANELS
1	OTHED FOLIDMENT





SW-1-ARM (guard post)




- The post serves to direct the personal traffic at the GASTOP turnstiles.
- Available finishes:
- N inox AISI 304,
- Fastened to the substrate with chemical anchors.

WEIGHT: 5 kg

UP-1 (post)






- The post allows you to attach any reader, which allows you to send an authorization signal to go to the GASTOP gates.
- Available finishes: - N - inox AISI 304,
- Fastened to the substrate with chemical anchors.

WEIGHT: 3 kg

(coin / card collector post)





- The door is secured by a key lock, allowing access to the container with the cards
- Available finishes:
  N inox AISI 304,


  - RAL pallete colour

WEIGHT: depending on the equipment



PSN-1 (turnstile platform)






- Turnstile platform, embedded on profiles,
- Construction: uncoated steel, \*

WEIGHT: 140 kg

PSN-2 (turnstile platform)






- Turnstile platform, embedded on profiles,
- Construction: uncoated steel, \*
- Passage equipped with grooved, alum-inum sheet.

WEIGHT: 200 kg




(mechanical control panel)



- Mechanical buttons
- Enables control of several devices
- The possibility of designing a personalized cover finish
- Durable design

(electronic control panel)





- Touchscreen
- Enables control of several devices
- The possibility of designing a personalized cover finish
- Durable design

# OTHER EQUIPMENT ITEMS

List of additional elements that can be equipped.

#### Transformer ZS-24, 130VA (BR2)



- 130VA
- BA3 series turnstiles

#### Transformer ZS-24, 90VA (GA2)



- 90VA
- GA3 series turnstiles

#### Fuse



- installation disconnector
- protects against damage to the electricity network

#### Power indicator



extends the configuration options of the access control system

#### Power box



- possible types of finishing: - PE,
  - powder coated steel
- for 2 or 4 transformers

#### Impulse power supply



- output voltage: 24 V
- input voltage: 230 V / 110 V
- BA3 / GA3 series turnstiles

#### Emergency power supply



- protects against voltage drops
- four output sockets

### Transport palette



standard dimensions:
 - 120 cm x 80 cm,

# Installation of the reader



- for any type of readers
- dimensions adapted to a specific type of reader


## Reader adapter



- reader installation module
- dimensions adapted to a specific type of reader

All information given herein is valid at time of publication. GASTOP reserves the right to introduce changes to this offer, concerning both models as well as their construction and equipment. This document does not constitute an offer as understood by law and is published solely for the purpose of information. Optional equipment presented in this brochure may not be available. Product photos and visualizations presented herein may not accurately show technologies in use, properties of materials or colors. Please refer to an authorized distributor or directly to the device manufacturer for detailed information on the above mentioned parameters.

All rights reserved Gastop Production Sp. z o.o.





EU: GASTOPGROUP.COM USA: GASTOP.US